ABOUT GI

Geographical Indications (GIs) are associated with the legacy of a product connected with a specific location having unique blend of nature, culture, tradition, and artisan. In India, there are several registered GIs and there are numerous GIs which are not yet registered officially, but are potential registerable GIs.

GI based on classes to Natural Goods, Food Stuff Manufactured Goods, Handicrafts or Agricultural Goods

GI based on uniqueness, weather, and terrain of the place of origin

Registered by the Authorized community of the GI

Economic empowerment to Artisans, Producers, and Manufacturers

> 512+ registered GIs and numerous unregistered GIs existence in India

Legal Protection from unfair usage

> GI Sign or symbol indicating Geographical Origin or location

Social Uplifting and continuing the Legacy of the Nation

Prevents counterfeiting and ensures genuineness of products

Preservation of local Culture, Tradition, and Legacy



© RIPA, OCT 2023

rwww.ripaonline.com



NAGA CUCUMBER

: Naga cucumbers are unique fruits grown organically in Nagaland. They are juicy, soft, and sweet, differing in taste, shape, and size from those in other parts of India. These cucumbers are low in calories but high in potassium and water content, making them excellent for hydration and nutrition. They are available yearround and thrive in both summer and winter climates.

Uniqueness

Naga cucumbers are juicy, soft, and sweet fruits that differ in taste, shape, and size from those in other parts of India. They are grown organically and available year-round, thriving in both summer and winter. These are low in calories but high in potassium and water content, they make excellent supplements to drinking water or sports drinks.



Raw Materials Well-drained, organic-rich soil, compost for seedling beds

Naga cucumbers are grown as a kharif season crop and off-season using indigenous irrigation methods. Seeds are sown from February to April during full or new moons. The crop thrives in warm climates (18-24°C) and various soil types. Harvesting starts three months after sowing, with fruits picked using sharp knives.

Method of Production



© RIPA, Nov 2024

✓ www.ripaonline.com



